SAS Output Page 1 of 1

Why do you take aspirin...To relieve pain?* Kentucky BRFSS 2000

Geographic	Total	Yes	No
Groups	Respond.#	N % C.I.(95%)	N % C.I.(95%)
TOTAL	1511	383 26.5 (23.4-29.8)	1128 73.5 (70.2-76.6)
ADDs			
Barren River	90	24 25.8 (17.4-36.4)	66 74.2 (63.6-82.6)
Big Sandy	76	21 24.5 (15.8-36.0)	55 75.5 (64.0-84.2)
Bluegrass	128	35 26.3 (18.8-35.3)	93 73.7 (64.7-81.2)
Buffalo Trace	69	18 28.8 (18.4-42.1)	51 71.2 (57.9-81.6)
Cumberland Valley	96	32 35.7 (25.9-46.8)	64 64.3 (53.2-74.1)
FIVCO	107	22 20.6 (13.3-30.4)	85 79.4 (69.6-86.7)
Gateway	108	20 17.2 (10.6-26.6)	88 82.8 (73.4-89.4)
Green River	78	17 19.9 (12.3-30.6)	61 80.1 (69.4-87.7)
Kentucky River	118	41 34.6 (25.8-44.6)	77 65.4 (55.4-74.2)
KIPDA	116	30 30.1 (20.7-41.4)	86 69.9 (58.6-79.3)
Lake Cumberland	92	21 24.9 (16.4-36.0)	71 75.1 (64.0-83.6)
Lincoln Trail	109	26 26.2 (17.9-36.6)	83 73.8 (63.4-82.1)
Northern Kentucky	100	26 24.2 (16.2-34.3)	74 75.8 (65.7-83.8)
Pennyrile	108	26 23.6 (15.9-33.6)	82 76.4 (66.4-84.1)
Purchase	116	24 21.4 (13.8-31.7)	92 78.6 (68.3-86.2)

^{*}This question was asked only to those respondents age 35 and older who take aspirin daily or every other day.

Percentages are weighted to population characteristics.

Unless stated differently above, Missing, 'Don't know', and Refused responses are excluded.

[#]Use caution in interpreting data for total respondents less than 50. N = Cell Size, NH = Non-Hispanic, % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level).